

STEELBLOC®
SAFETY GUARDRAILS

PRODIGY 9.25s

H2 W4 A 200

pile driven into soil

PR09.2502.41-20


PRODUCT DATA SHEET


Performance class	H2 W4 A
Working width	1.1 m
Vehicle intrusion	VI5 (1.4 m)
Dynamic deflection	1.0 m
Tested system length	40.00 m
EC Certificate of Conformity	0531-CPR-1317-2589

System series	PRODIGY
Post spacing	2.00 m
Durability	S235JR;S355JR, galvanised acc. to EN ISO 1461

Element length	4.00 m
System height	0.90 m
System width	0.18 m

Mode of operation	single sided
Mode of installation	pile driven into soil
Installation drawing	K PR09.2502.41-20 EN





STEELBLOC®
SAFETY GUARDRAILS

PRODIGY 9.25s

H2 W4 A 200

pile driven into soil

PR09.2602.41-20


PRODUCT DATA SHEET


Performance class	H2 W4 A
Working width	1.1 m
Vehicle intrusion	VI5 (1.4 m)
Dynamic deflection	1.0 m
Tested system length	40.00 m
EC Certificate of Conformity	0531-CPR-1317-2589

System series	PRODIGY
Post spacing	2.00 m
Durability	S235JR;S355JR, galvanised acc. to EN ISO 1461

Element length	4.00 m
System height	0.90 m
System width	0.18 m

Mode of operation	single sided
Mode of installation	pile driven into soil
Installation drawing	K PR09.2602.41-20 EN





STEELBLOC®
SAFETY GUARDRAILS

PRODIGY 9.25s

H2 W4 A 200

pile driven into soil

PR09.2702.41-20


PRODUCT DATA SHEET

Performance class	H2 W4 A
Working width	1.1 m
Vehicle intrusion	VI5 (1.4 m)
Dynamic deflection	1.0 m
Tested system length	40.00 m
EC Certificate of Conformity	0531-CPR-1317-2589

System series	PRODIGY
Post spacing	2.00 m
Durability	S235JR;S355JR, galvanised acc. to EN ISO 1461

Element length	4.00 m
System height	0.90 m
System width	0.18 m

Mode of operation	single sided
Mode of installation	pile driven into soil
Installation drawing	K PR09.2702.41-20 EN



STEELBLOC® PROTECTS YOU WITH MODULAR ROAD SAFETY

The holistic safety concept for the roadside
developed by DELTABLOC®.



KIRCHDORFER
ROAD & TRAFFIC



DELTA BLOC INTERNATIONAL GmbH

Industriestrasse 28
2601 Sollenau, Austria
office@deltabloc.com
+43 57715 / 470 - 0
www.deltabloc.com